

SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name Luxigraze 5 litre Cleanser

Product code LUXCONCC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses advised against PC35: Washing and cleaning products (including solvent based

products).

1.3 Details of the supplier of the safety data sheet

Company identification Natural Paving Products (UK) Ltd

Belton Road Sandtoft Doncaster North Lincolnshire

DN8 5SX

Tel: 0330 333 8030 **Fax:** 0330 333 8040

Email: enquiries@luxigraze.co.uk

1.4 Emergency tel 0330 333 8030

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319

Classification under CHIP: This product has no classification under CHIP.

2.2 Label Elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation. **H319:** Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/

face protection.

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce

vomiting.

P302+352: IF ON SKIN: Wash with plenty of soap and water.



SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

Label elements under CHIP:

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.

S23: Do not breathe spray.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of

water and seekmedical advice.

S37/39: Wear suitable gloves and eye / face protection.

S46: If swallowed, seek medical advice immediately and show

this container or label.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous ingredients:

EINECS	CAS	CHIP Classification	CLP Classification	Percent		
ALKYL BENZYL AMMONIUM CHLORIDE						
270-325-2	68424-85-1	C: R34; Xn: R21/22; N: R50	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Acute Tox. 4: H312	1-10%		
TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE						
200-573-9	64-02-8	Xn: R20/22; Xi: R38; Xi: R41	Acute Tox. 4: H332; Skin Irrit. 2: H315; Eye Dam. 1: H318	1-10%		
DIMETHYL C12-C14 ALKYL BETAINES						
266-368-1	66455-29-6	Xi: R36/38	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%		

Non-classified ingredients:

EINECS	CAS	CHIP Classification	CLP Classification	Percent	
CITRIC ACID MONOHYDRATE					
201-069-1	5949-29-1	Xi: R36/37/38	-	<1%	



SAFETY DATA SHEET

CODE LUXCONCC **DATE 12.16**

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. **Eve contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness

in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should

be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Water based product.

Advice relates to dry residues after water has evaporated.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective

clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn

leaking containers leakside up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using

bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled

salvage container for disposal by an appropriate method.

Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.



SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNECNo data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

State:LiquidColour:ColourlessOdour:PerfumedEvaporation rate:Slow

Oxidising: Not applicable.

Solubility in water: Highly soluble

Viscosity: Non-viscous

Boiling point/range°C: 100 Melting point/range°C: 0

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point °C:

Part.coeff. n-octanol/water:

Autoflammability °C:

Vapour pressure:

Not applicable.

Not applicable.

Not applicable.

Relative density: 1.020

VOC g/l: Not applicable.

pH: 7 - 8

9.2. Other information

Other information: No data available.



SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or

storage conditions.

Decomposition may occur on exposure to conditions or materials

listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Hazardous ingredients:

ALKYL BENZYL AMMONIUM CHLORIDE						
DERMAL	RAT	LD50	1560	mg/kg		
ORL	RAT	LD50	795	mg/kg		
TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE						
DERMAL	GPG	LD50	5000	mg/kg		
ORL	RAT	LD50	3030	mg/kg		
DIMETHYL C12-C14 ALKYL BETAINES						
ORL	RAT	LD50	>2000	mg/kg		

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness

in the chest.



SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Hazardous ingredients:

ALKYL BENZYL AMMONIUM CHLORIDE					
DAPHNIA	48H EC50	0.03	mg/l		
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1.7	mg/l		
TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE					
FISH	96H LC50	>100	mg/l		

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation

complies (comply) with the biodegradability criteria as laid down

in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential:No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional

or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION

Transport class: This product does not require a classification for transport.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment



SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

SECTION 16: OTHER INFORMATION

Other information

Other information: This safety data sheet is prepared in accordance with

Commission Regulation (EU) No 453/2010.

Detergent Regulations EC648/2004, the product contains

amongst other ingredients:-Amphoteric surfactants <5% Cationic surfactants <5%

EDTA salts <5%

Perfumes

IMPORTANT NOTE: Risk phases in this section below relate to the INDIVIDUAL

COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed

product.

See sections 2 and 3 for the calculated hazard and risk phrases

for the blended product.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

R20/22: Harmful by inhalation and if swallowed.

R21/22: Harmful in contact with skin and if swallowed.

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R36/38: Irritating to eyes and skin.

R38: Irritating to skin.

R41: Risk of serious damage to eyes. R50: Very toxic to aquatic organisms.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse



SAFETY DATA SHEET

CODE LUXCONCC DATE 12.16

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. For professional and industrial use only.

Legal disclaimer: